


## ROPES FOR STRUCTURAL APPLICATIONS

- Spiroidal rope with 61 wires
- Galvanized steel class A
- Wire strength 1770 N/mm<sup>2</sup>



61 wires

Rope Ø mm	outer wire Ø	Mass kg/mt	Minimum breaking load with wire strenght 1770 N/mm <sup>2</sup>	
			KN	Kg
24	2,67	2,85	522	53.210
26	2,89	3,35	613	62.448
28	3,11	3,88	710	72.425
30	3,33	4,46	816	83.141
32	3,56	5,02	928	94.596

ADMINISTRATION AND PRODUCTION : Contrada Cabiano 39,  
3065 RIPATRANZONE (AP) TEL. +39 0735 90227 / +39 0735 90278  
VAT NUMBER: 02305440444 - EMAIL della.cianci@mpwireropes.com  
website: www.metalpress-wireropes.com

**METALPRESS s.r.l.**

